



SPECIFICATIONS		4JH4-HTE	
Model	Continuous Power (ISO 8665)	kW/min ⁻¹	73.6/301
Fuel Stop Power	Propeller shaft (ISO 8665)	kW/min ⁻¹	---
Reduction ratio	Crankshaft (ISO 8665)	kW/min ⁻¹	80.9/3200
Dry mass		kg(lb)	Approx. 217(478)
Direction of Crankshaft rotation			Counter-clockwise

MANAGER	SCALE	1:5

SEC-MANAGER	MODEL	4JH4 HTE	QTY	1	MATERIAL
CHECKED	SPECIALIST				
DESIGNED	DATE YMD				
DRAWN	NAME				
MANAGER					

YANMAR	CODE	B2-29672-0900
YANMAR CL.LTD. DEVELOPMENT DEPT.	REV. 1	AI

NOTE
 1. DIMENSIONS SHOWS MOUNTING BLOCKS AT ORIGINAL HEIGHT.
 2. ENGINE WEIGHT WILL COMPRESS BLOCKS BY 4MM APPROX.
 3. MOUNTING BLOCKS ARE EQUIPPED FOR STANDARD ACCESSORY.
 4. THE FIGURES MARKED WITH * SHOW THE DIMENSIONS WITH
 U-MIXING ELBOW, OR OPTIONAL COUPLING.
 5. * SHOWS THE CENTER OF GRAVITY.

3D-CAD	NOTICE	ORIENTATION	LOCATION	RUN-OUT
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>